

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Absorbine Liquid Embrocation

GENERAL USE: External Embrocation

PRODUCT DESCRIPTION: Green flammable liquid, acetone / herbal odor.



MANUFACTURER'S NAME:

W. F. Young, Inc

DATE PREPARED: December 3, 2012

SUPERSEDES: October 17, 2011

Page 1 of 5

ADDRESS (NUMBER, STREET, P.O. BOX)

302 Benton Drive

TELEPHONE NUMBER FOR INFORMATION:

(413) 526-9999

CITY, STATE AND ZIP CODE:

East Longmeadow, MA 01028

EMERGENCY TELEPHONE NUMBER:

(413) 526-9999

SECTION 2 – HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	% (by weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES Full Test Section 16
----------------------	------------------	-------	----------	------------------	--------------------------------------

Acetone (a,b)

40 – 70

67-64-1

200-662-2

F, Xi

R-11, 36, 66, 67

Menthol

1 – 5

89-78-1

216-074-4

Xi

R-37/38, 41

The remaining components of this product are non-hazardous or are in small enough quantities as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which would influence the classification of this product.

(a) See Section 15

(b) Indicates that the Resource Conservation and Recovery Act (RCRA) has determined the waste for this chemical is listed as hazardous and must be handled according to regulations in 40 CFR 260-281.

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Green flammable liquid, potentially hazardous vapors. Can cause eye and skin irritation upon contact. Inhalation of vapors can cause anesthetic effect leading to death in poorly ventilated areas. Hazard Symbols for this product - F, Xi Risk Phrases - R11, 36, 66, 67

POTENTIAL HEALTH EFFECTS

INHALATION: High concentrations are irritating to the respiratory tract; may cause headache, dizziness, nausea, vomiting and malaise.

SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate reddening, swelling and possible necrosis.

EYES: Contact causes severe irritation and pain associated with redness and swelling of the conjunctiva.

INGESTION: Moderately toxic; may cause headache, dizziness, diarrhea and general weakness; large doses may result in red blood cell hemolysis.

CARCINOGENICITY

NTP? No

IARC MONOGRAPHS: No

OSHA REGULATED: No

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Absorbine Liquid Embrocation

Page 2 of 5

December 3, 2012

SECTION 4 – FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; Induce vomiting by sticking fingers down throat; never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED)
20° F (-6.7° C) TCC

FLAMMABLE LIMITS

LEL: 2.0%

UEL: 13.0%

AUTOIGNITION TEMPERATURE:
869° F (465° C)

NFPA CLASS:

GENERAL HAZARDS: Product is flammable. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA: Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES: Self - contained respiratory equipment; cool containers to prevent pressure buildup and possible explosion when exposed to extreme heat.
Caution - material is flammable!

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers can explode due to buildup of pressure when exposed to extreme heat. Vapors may cause a flash fire or ignite explosively. Vapors may travel a considerable distance to a source of ignition and flash back.

HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes or vapors, oxides of carbon.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CAUTION - FLAMMABLE - Evacuate and ventilate area; confine and absorb into absorbent; place material into approved containers for disposal; for spills in excess of allowable quantities notify the National Response Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 for detailed instructions concerning reporting requirements. Do not discharge into lakes, ponds, streams or public waters.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. CAUTION - FLAMMABLE - keep away from all sources of ignition. "Empty" containers may contain residue which may form explosive vapors. Do not weld or cut near empty container that has not been professionally reconditioned. Use nonsparking tools when opening and closing containers. Maintain well ventilated work areas to minimize exposure when handling this material.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTION:

RESPIRATORY PROTECTION:

None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.

EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby

WORK/HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Absorbine Liquid Embrocation

December 3, 2012

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Green liquid, acetone / herbal odor.	VAPOR DENSITY (AIR = 1)
SPECIFIC GRAVITY (WATER =1) 0.888	EVAPORATION RATE (WATER =1)
SOLUBILITY IN WATER Appreciable	% VOLATILE (BY WEIGHT)
Ph: 3.5	VAPOR PRESSURE 17 mm Hg @ 20° C
BOILING POINT: 133° F (56.1° C)	FREEZING POINT
VISCOSITY Like that of water	VOLATILE ORGANIC COMPOUNDS (VOC's)

SECTION 10- STABILITY AND REACTIVITY

STABILITY UNSTABLE STABLE X	CONDITIONS TO AVOID: Extreme temperatures, open flames, sparks.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.	
HAZARDOUS POLYMERIZATION MAY OCCUR WILL NOT OCCUR: X	

SECTION 11 – TOXICOLOGICAL INFORMATION

Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient Species and Route	LC50 of Ingredient Species
Acetone (a,b)	67-64-1	200-662-2	5800 mg / kg Oral - rat	50,100 ppm / 8H Inhalation – rat
Menthol	89-78-1	216-074-4	3180 mg / kg Oral - rat	Not established
(a) See Section 15				

SECTION 12 – ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. This product may produce hazardous vapors in a closed disposal container creating a dangerous environment. Refer to 40 CFR 260 - 299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.


MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Absorbine Liquid Embrocation

December 3, 2012

SECTION 14 – TRANSPORT INFORMATION

475ml , 950ml



Ground: Consumer Commodity ORM-D or Limited Qty

Ocean: UN1090 Acetone Solution in Limited Quantities Class 3 Packing Group II square-on-point display per 3.4.5.1

Air: ID8000 Consumer Commodity Class 9 No PG mark as Consumer Commodity, ID8000 package orientation

1.18L, 3.8L

Ground: UN1090 Acetone Solution Class 3 Packing Group II

Ocean: UN1090 Acetone Solution Class 3 Packing Group II Acetone solution, UN1090 Class 3, Pkg Orientation

Air: UN1090 Acetone Solution -CAO Class 3 Packing Group II Acetone solution, UN1090 Class 3, Pkg Orientation, CAO

NOTE:

Note: Transportation information provided is for reference only. Client is urged to consult 49 CFR 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

SECTION 15 – REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

Immediate health, fire hazard

313 Reportable Ingredients:

None

CERCLA (Comprehensive Response Compensation and Liability Act)

(a) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture = 6,000 lbs) or greater amounts, according to 40 CFR 302.

California Prop 54, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: B2, D2B

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL/NDSL (Canadian Domestic Substances List/Non-Domestic Substance List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: 1

VbK Index: 1

Risk Phrases

R11 Highly flammable.

R36 Irritating to eyes.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

SYMBOL(S) REQUIRED FOR LABEL

Flammable



Irritant



Safety Phrases

S9 Keep container in a well-ventilated place.

S16 Keep away from sources of ignition.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Absorbine Liquid Embrocation

December 3, 2012

Page 5 of 5

SECTION 16 – OTHER INFORMATION

Notes & full R-Phrase text

- R11 Highly flammable.
- R36 Irritating to eyes.
- R37/38 Irritating to respiratory system and skin.
- R41 Risk of serious damage to the eyes.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.

HMIS HAZARD RATINGS

HEALTH 2
FLAMMABILITY 3
PHYSICAL HAZARD 0
PERSONAL PROTECTIVE
EQUIPMENT B Safety Glasses, Gloves

* = Chronic Health Hazard 2 = MODERATE
0 = INSIGNIFICANT 3 = HIGH
1 = SLIGHT 4 = EXTREME

REVISION SUMMARY:

Description updated, acetone percentage corrected

MSDS Prepared by:

Karen M. Norkaitis
W. F. Young, Inc.

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.